

## Weplus Fleece

### Synthetic-fibre fleece for waterproofing resins



#### Brief description

Weplus Fleece is a synthetic-fibre fleece specially designed for use with WestWood PMMA waterproofing resins. The fleece enables the layer thickness to be controlled when applying waterproofing resins and also has a strengthening and crack-bridging effect in the hardened waterproofing layer.

**Material** Mechanically strengthened and heat-set special synthetic-fibre fleece with a weight per unit area of 110 g/m<sup>2</sup>

**Properties and advantages**

- High tear strength and tear-propagation resistance
- High elongation at break
- Specially designed for use with WestWood waterproofing resins in terms of material properties, thickness and degree of density
- Facilitates easy and reliable application of waterproofing with layer thickness control function

**Areas of application** Weplus Fleece is used as reinforcement and to ensure a minimum layer thickness for WestWood waterproofing resins to create high-quality, flexible and crack-bridging waterproofing systems.

**Packaging** Roll (W x L):



10.50 cm X 50 m  
15.00 cm x 50 m  
20.00 cm x 50 m  
26.00 cm x 50 m  
35.00 cm x 50 m  
52.00 cm x 50 m  
70.00 cm x 50 m  
105.00 cm x 50 m

**Colours** White

**Storage** Store Weplus Fleece in a dry place, protected against moisture and dirt, and if possible, in a horizontal position.

**Product application** A single layer of the fleece is fully saturated with WestWood waterproofing resins when applied. The joints must have at least a 5 cm overlap. For further information please refer to the product information sheets for WestWood waterproofing resins.

**General information** The above information, especially information about application of the products, is based on extensive development work as well as many years of experience and is provided to the best of our knowledge. However, the wide

## Weplus Fleece

### Synthetic-fibre fleece for waterproofing resins

variety of requirements and conditions on site mean that it is necessary for the product to be tested to ensure that it is suitable for the intended purpose. Only the most recent version of the document is valid. We reserve the right to make changes to reflect advances in technology or improvements to our products.

Rev: 18.03.2014  
Version 1.1