




Product information sheet

WestWood Cleaning Agent



Brief description

WestWood Cleaning Agent is ideal for cleaning tools and for pre-treating (cleaning) metal and non-absorbent substrates before WestWood surfacing or waterproofing products are applied.

Material

Ethyl-acetate solvent

Properties and advantages

- Highly effective
- Rapid evaporation

Areas of application

WestWood Cleaning Agent is used to clean/remove residue of WestWood products from tools.

It is also used to clean metal and non-absorbent substrates before WestWood waterproofing and surfacing systems are applied.

The Cleaning Agent must never be used as a thinner for WestWood products.

Pack size

Canister
10 l, 30 l



Storage

Store the cleaning agent in its original packaging, sealed so it is airtight, and in a cool, dry place, and far from sources of heat and ignition. Direct sunlight on the containers should be avoided, including on site. After removing some of the contents, reseal the containers so they are airtight.

Product application

The product should only be used in the open air or in well ventilated interiors. Seal the container again so it is airtight immediately after using the cleaning agent.

- a) For cleaning tools
Tools should be cleaned thoroughly with the cleaning agent and a brush directly after they have been used for WestWood liquid products. Simply immersing the tools in the Cleaning Agent will not prevent the material from hardening.
- b) For cleaning metal and non-absorbent substrates
Pour WestWood Cleaning Agent onto a lint-free cloth and rub down the surfaces. The cleaning agent must have dried completely before WestWood products are applied.

Information on safety and risks

Please refer to the safety data sheet for the product.



Product information sheet

WestWood Cleaning Agent

General information

The above information, especially information about application of the products, is based on extensive development work as well as many years of experience and is provided to the best of our knowledge. However, the wide variety of requirements and conditions on site mean that it is necessary for the product to be tested to ensure that it is suitable for the intended purpose. Only the most recent version of the document is valid. We reserve the right to make changes to reflect advances in technology or improvements to our products.

Rev.: 01 February 2022